


REQUIREMENTS FOR ELECTRICAL, GAS AND COMMUNICATIONS CONTRACTORS


THE PROPOSED PILLAR SHALL BE OFFSET, AS INDICATED, AT THE ZERO LOT LINE BOUNDARY. THE SIDE OF THE PILLAR SHALL BE ALIGNED WITH THE LOT BOUNDARY, TO PROVIDE AT LEAST 1.0m CLEARANCE FROM THE FUTURE DRIVEWAY.

COMMUNICATIONS PITS SHALL NOT CLASH WITH POTENTIAL DRIVEWAY POSITIONS INDICATED


GAS DOMESTIC SERVICE TEE-OFFS SHALL BE ADJUSTED TO REMAIN OUTSIDE 60mm PILLAR EXCLUSION ZONE IF PILLAR IS OFFSET TO ALIGN WITH ONE SIDE OF A SURVEY PEG.



PILLAR ON ZERO LOT BOUNDARY




TYPICAL RATE 3 SL TEE-OFF AND PIT POSITION DETAIL (N.T.S)



- NOTES
1. PIT TO BE INSTALLED 125mm OF RP BOUNDARY.
 2. INSTALL PIT ON OPPOSITE SITE OF PILLAR TO COMMUNICATIONS PIT.

TYPICAL RATE 3 SL TEE-OFF AND PIT POSITION DETAIL (N.T.S)



TYPICAL RATE 3 PIT SERVICES COORDINATION DETAIL (N.T.S)

REVISIONS					
AMENDMENT	INITIALS	DATE	AMENDMENT	INITIALS	DATE
F				L	
E				K	
D				J	
C				I	
B				H	
A	RPEQ SIGN OFF	TM 16/03/18		G	



IPSWICH CITY COUNCIL
 P.O. Box 191 Ipswich QLD 4305 Australia
 Telephone: (07) 3810 6666
 Website: www.ipswichplanning.com.au

STANDARD DRAWING

RATE 3 PUBLIC LIGHTING
 STREETLIGHT RETICULATION DETAILS

LIGHTING

SL.08

REV: A DRAWER: 100