



SECTION: THROUGH FOUNTAIN AND SOAKAGE PIT  
SCALE: 1:10

PLAN: FOUNTAIN  
SCALE: 1:10

NOTES:

1. 2 Pac paints include Duremax GPE ZP or Weathermax HBR or equivalents.
2. Soakage pit sizing is for 4 litres of overflow caused by use of the fountain.
3. If the installation's usage is estimated high (volume of usage), the soakage pit area shall be doubled in length.
4. Soakage area is not designed for rain periods.
5. Soil classification used with the sizing is for category 6 soil. Medium to heavy clays.

REVISIONS					
AMENDMENT	INITIALS	DATE		AMENDMENT	INITIALS DATE
F			L		
E			K		
D			J		
C			I		
E	Notes Altered		H		
A	ORIGINAL ISSUE		G		

**IPSWICH CITY COUNCIL**  
 45 Roderick St  
 P.O. Box 191  
 Ipswich QLD 4305  
 Australia

Tel (07) 3810 7894  
 Tel (07) 3810 7927  
 Fax (07) 3810 7950

APPROVED  
  
 CHIEF OPERATING OFFICER (WPR)  
 DATE 29-7-13

**STANDARD DRAWING**  
**FURNITURE - SECONDARY DRINK FOUNTAIN**  
**(NON COMPLIANT)**

PARKS  
**SP.62**  
 REV: C DRAWER: 100