# Division 4—Vegetation Management Code

### 12.4.1 Vegetation Management Code

The provisions in this division comprise the Vegetation Management Code. They are—

- compliance with the Vegetation Management Code (section 12.4.2);
- overall outcomes for the Vegetation Management Code (section 12.4.3);
- specific outcomes, probable solutions and acceptable solutions for the Vegetation Management Code (section 12.4.4).

## 12.4.2 Compliance with the Vegetation Management Code

Development that, in the local government's opinion is consistent with the specific outcomes in section 12.4.4 complies with the Vegetation Management Code.

## 12.4.3 Overall Outcomes for the Vegetation Management Code

(1) The overall outcomes are the purpose of the Vegetation Management Code.

#### NOTE 12.4.3A

(2)

Sub-section (1) provides the link between the overall outcomes sought for the code and the IPA code assessment rules which refer to the 'purpose' of the code [see IPA s.3.5.13(2)].

- The overall outcomes sought for the Vegetation Management Code are the following—
  - (a) Significant areas of native vegetation and their associated wildlife habitats and linkages are conserved and appropriately managed.

- (b) Vegetation within defined water catchment areas, riparian areas or wetlands is conserved and appropriately managed.
- (c) Vegetation within environmentally sensitive areas including steeply sloping land and areas prone to erosion or salinity is conserved and appropriately managed.
- (d) Vegetation which is of cultural heritage, ecological, horticultural, scientific, educational, recreation or aesthetic (including streetscape, townscape or landscape) significance or value is conserved and appropriately managed.

## 12.4.4 Specific Outcomes, Probable Solutions and Acceptable Solutions for the Vegetation Management Code

The specific outcomes sought for the management of Vegetation are set out in column 1 of Table 12.4.1 and the acceptable solutions (if self assessable) and the probable solutions (if code assessable) are set out in column 2 of Table 12.4.1.

#### NOTE 12.4.4A

- The provisions of the Vegetation Management Act (VMA) 1999 apply regardless of the vegetation measures included in the Ipswich Planning Scheme.
- (2) For further information on the VMA, please contact the Department of Natural Resources and Mines.



# Table 12.4.1: Specific Outcomes, Acceptable Solutions and Probable Solutions for the Management Of Vegetation

			Management Of Vegetation		
	Column 1		Column 2		
Specific Outcomes		Acceptable / Probable Solutions			
Environmentally Sensitive Areas		Environmentally Sensitive Areas			
(1)	The clearing of vegetation does not cause or exacerbate land degradation within environmentally sensitive areas including steeply sloping land, areas prone to erosion or salinity, riparian	(1)	<ul> <li>The clearing does not involve the removal of native vegetation from—</li> <li>(a) land with a slope of 15% or more; or</li> <li>(b) land within a Designated Watercourse or land within 30m of a Designated Watercourse or within 10 metres of the top of the bank of a Designated Watercourse where the slope of the bank exceeds 15% (see Figure 12.4.1).</li> </ul>		
	corridors, wetlands or water catchment areas.				
Environmental Weeds,		Environmental Weeds, Commercial/Sustainable Resources			
Commercial/Sustainable Resources		(2)	Despite Clause (1) above, vegetation may be removed if the clearing involves—		
(2)	Declared environmental weeds or pest species and vegetation which has been planted and grown for commercial purposes or as a sustainable resource may be cleared.		(a) the removal of vegetation which is—		
			(i) listed by the local government as an Environmental Weed; or		
			<ul> <li>a declared plant under the Land Protection (Pest and Stock Routes Management) Act 2002;</li> </ul>		
			unless the vegetation is specifically listed in Schedule 2 for its cultural heritage or aesthetic significance or value; or		
			(b) vegetation which was planted and grown for commercial purposes; or		
			(c) vegetation which is subject to a scheme or plan approved by the local government providing for its management and use as a sustainable resource.		
	Risks to Health and Safety		Risks to Health and Safety		
(3)	Vegetation which is dangerous may be removed.	(3)	Despite Clauses (1) and (2) above, vegetation which is dangerous and which presents a risk to the health and safety of people and property (including as a result of age, disease, impact or wind damage) may be removed.		
Bona Fide Agricultural or Animal		Bona Fide Agricultural or Animal Husbandry Activities			
Hust (4)	bandry Activities Vegetation may be removed for the purposes of bona fide, existing and ongoing agricultural or animal husbandry activities.	(4)	Vegetation may be removed if the clearing involves the continuation of existing agricultural or animal husbandry activities, including the management of understorey vegetation to maintain existing grazing activities (e.g. through removing early regrowth such as fast growing wattles). Clearing under this clause does not involve the removal of native vegetation which has a circumference of 50cm or more measured at a height of 1.2m above the ground.		
			NOTE 1:		
			<ul> <li>Approval under the planning scheme does not convey approval pursuant to State legislation, including the <i>Nature Conservation Act</i> 1992; the <i>Vegetation Management Act</i> 1999; and the <i>Environmental Protection and Biodiversity Conservation Act</i> 1999 and applicants need to make their own enquiries regarding such acts. For example, clearing of vegetation must not involve the removal of— <ul> <li>species identified as endangered, vulnerable or rare under the <i>Nature Conservation Act</i> 1992 and associated subordinate legislation; or</li> <li>species identified as critically endangered, endangered, vulnerable or conservation <i>Act</i> 1999 and associated subordinate legislation; or</li> </ul> </li> </ul>		
Clearing of Fire Breaks, Building		Clearing of Fire Breaks, Building Envelopes and Fence Lines			
Enve (5)	elopes and Fence Lines Cleared areas are provided in order to reduce bush fire risks and to enable effective use and maintenance of buildings and fence lines.		Despite Clauses (1) to (4) above, vegetation may be cleared for fire management and maintenance purposes where the clearing does not involve the removal of native vegetation from—		
			<ul> <li>beyond an area identified in a fire management plan approved by the Queensland Fire and Rescue Service or Council;</li> </ul>		
			(b) beyond 5m from a building on an allotment less than 2000m <sup>2</sup> in area;		
			<ul> <li>beyond 10m from a building on an allotment more than 2000m<sup>2</sup> in area, but less than one hectare in area;</li> </ul>		
			(d) beyond 20m from a building on an allotment more than one hectare in area;		
			(e) beyond 3m from a lot boundary or an internal fence within a lot.		

m

# Ipswich Planning Scheme

Column 1         Column 2           Specific Outcomes         Acceptable / Probable Solutions           Wildlife Habitat         (6) Important areas of wildlife habitat (including waterourses and wetlands) are maintained and protected from edge effects.         Wildlife Habitat           (6)         An ecological assessment, prepared by a suitably qualified and experienced person to the local government which—           (a)         identifies important habitat areas:           (b)         (c)         (c)           (c)         (c)         (c)           (d)         (c)         (c)           (e)         (c)         (c)           (f)         (c)         (c)           (c)         (c)         (c)           (e)         (c)         (c)           (f)         (c)         (c)           (f)         (c)         (c)           (f)         (c)         (c)						
Wildlife Habitat       Wildlife Habitat         (6)       Important areas of wildlife habitat         (6)       An ecological assessment, prepared by a suitably qualified and experienced person to the local government which—         (a)       Identifies important habitat areas;         (b)       demonstrates they are being retained in a manner that optimises the viability a connectivity of the retained vegetation, e.g. significant habitat is retained in a c form in corridors of sufficient which to protect species viability.         (7)       (a)       An Environmental Management Plan is prepared by a suitably qualified and experiences of sufficient which to protect species viability.         (7)       (a)       An Environmental Management Plan is prepared by a suitably qualified and experiences of sufficient which to protect species viability.         (7)       (a)       An Environmental Management Plan is prepared by a suitably qualified and experiences of sufficient which to protect species viability.         (7)       (a)       An Environmental Management Plan is prepared by a suitably qualified and experiences of suitable vegetations;         (b)       (b)       Undersite in manot man drahabilitation;         (ii)       weed control and management?         (v)       management?         (vi)       bushfire management and control.         (b)       The size of buffer areas is determined based on the potential impact of the de and the function(s) of the habitat area. <th></th>						
<ul> <li>(6) Important areas of wildlife habitat (including watercourses and welfands) are maintained and protected from edge effects.</li> <li>(6) An ecological assessment, prepared by a suitably qualified and experienced person (a) identifies important habitat areas:</li> <li>(b) demonstrates they are being retained in a manner that optimises the viability a connectivity of the retained vegetation, e, a significant habitat is retained in a connectivity of the retained vegetation, e, a significant habitat is retained in a connectivity of the retained vegetation, e, a significant habitat is retained in a connectivity of the retained vegetation, e, a significant habitat is retained in a connectivity of the retained vegetation, e, a significant habitat is retained in a connectivity of the retained vegetation, e, a significant habitat is retained in a connectivity of the retained vegetation.</li> <li>(c) an Environmental Management Plan is prepared by a suitably qualified and experson(s) which incorporates elements relating to— <ul> <li>(i) vegetation management;</li> <li>(ii) weed control and management;</li> <li>(iii) weed control and management;</li> <li>(iv) management/control of foral animals (including foxes, cats, dogs and pi grazing practices (including intensity and frequency); and</li> <li>(v) bushtire management and control.</li> <li>(b) The size of buffer areas is determined based on the potential impact of the de and the function(s) of the habitat area.</li> </ul> </li> <li>NOTE 2 <ul> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where a endangered regional ecosystem, migratory bird habitat or other highly significant thabit areas or alternatively these works are co-located within a cutility corridor.</li> <li>(f) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(f) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting—         <ul> &lt;</ul></li></ul></li></ul>						
<ul> <li>protected from edge effects.</li> <li>(b) demonstrates they are being relatined in a manner that optimises the viability a connectivity of the relatined vegetation, e.g. significant habitat is retained in a connectivity of the relatined vegetation, e.g. significant habitat is retained in a connectivity of the relatined vegetation, e.g. significant habitat is retained in a connectivity of the relatined vegetation, e.g. significant habitat is retained in a connectivity of the relatined vegetation, e.g. significant habitat is retained in a connectivity of the relating of the relating to the person(s) which incorporates elements relating to</li></ul>	provided					
<ul> <li>(b) demonstrates they are being retained in a mainter matophilises ine trading a connectivity of the retained vegetation, e.g. significant habital is retained in a connectivity of the retained vegetation, e.g. significant habital is retained in a connectivity of the retained vegetation provide subability.</li> <li>(7) (a) An Environmental Management Plan is prepared by a suitably qualified and experson(s) which incorporates elements relating to— <ul> <li>(i) vegetation management and rehabilitation;</li> <li>(ii) buffering to minimise edge effects;</li> <li>(iii) weed control and management;</li> <li>(iv) management/control of feral animals (including foxes, cats, dogs and pi grazing practices (including intensity and frequency); and</li> <li>(v) bushfire management and control.</li> <li>(b) The size of buffer areas is determined based on the potential impact of the de and the function(s) of the habitat area.</li> </ul> NOTE 2 <ul> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bid habitat or other highly significant habitat is avoided by locating fence lines, roadways and infrastruc outside important habitat areas or alternatively these works are co-located within a cutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across the local government area;</li> <li>(b) across the local government area;</li> <li>(c) in to adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> </ul></li></ul>						
<ul> <li>person(s) which incorporates elements relating to— <ul> <li>(i) vegetation management and rehabilitation;</li> <li>(ii) buffering to minimise edge effects;</li> <li>(iii) weed control and management;</li> <li>(iv) management/control of feral animals (including foxes, cats, dogs and pigrazing practices (including intensity and frequency); and</li> <li>(v) bushfire management and control.</li> <li>(b) The size of buffer areas is determined based on the potential impact of the de and the function(s) of the habitat area.</li> </ul> NOTE 2 <ul> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant habitat impact of the detain of habitats is avoided by locating fence lines, roadways and infrastruc outside important habitat areas or alternatively these works are co-located within a cutility corridor. </li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government area;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion satinity) are protected from damage resulting from clearing or construction activities I</li> </ul></li></ul>						
<ul> <li>(ii) buffering to minimise edge effects;</li> <li>(iii) weed control and management;</li> <li>(iv) management/control of feral animals (including foxes, cats, dogs and pi grazing practices (including intensity and frequency); and</li> <li>(v) bushfire management and control.</li> <li>(b) The size of buffer areas is determined based on the potential impact of the der and the function(s) of the habitat area.</li> <li>NOTE 2</li> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant hat endangered regional ecosystem, migratory bird habitat or other highly significant hat areas or alternatively these works are co-located within a cutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government area;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> </ul>	erienced					
<ul> <li>(ii) weed control and management;</li> <li>(iv) management/control of feral animals (including foxes, cats, dogs and pi grazing practices (including intensity and frequency); and</li> <li>(v) bushfire management and control.</li> <li>(b) The size of buffer areas is determined based on the potential impact of the der and the function(s) of the habitat area.</li> <li>NOTE 2</li> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant habitat is avoided by locating fence lines, roadways and infrastruc outside important habitat areas or alternatively these works are co-located within a cutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including reas prone to erosion salinity) are protected from damage resulting from clearing or construction activities of the same areas including protected from damage resulting from clearing or construction activities of the same areas including protected from damage resulting from clearing or construction activities of the same areas including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities of the same areas including areas prone to erosion salinity are protected from damage resulting from clearing or construction activities of the same areas including areas prone to erosion salinity are protected from damage resulting from c</li></ul>						
<ul> <li>(iv) management/control of feral animals (including foxes, cats, dogs and pi grazing practices (including intensity and frequency); and</li> <li>(v) bushfire management and control.</li> <li>(b) The size of buffer areas is determined based on the potential impact of the der and the function(s) of the habitat area.</li> <li>NOTE 2 <ul> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant habitat area or alternatively these works are co-located within a crutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government areas;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> </ul></li></ul>						
<ul> <li>(v) bushfire management and control.</li> <li>(b) The size of buffer areas is determined based on the potential impact of the der and the function(s) of the habitat area.</li> <li>NOTE 2 <ul> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant hat</li> <li>(8) Fragmentation of habitats is avoided by locating fence lines, roadways and infrastruct outside important habitat or areas or alternatively these works are co-located within a cutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities to a lanking areas provened and event areas areas and the sensitive areas areas areas and and the sensitive areas areas areas and the sensitive areas areas areas and the sensitive areas area</li></ul></li></ul>						
<ul> <li>(b) The size of buffer areas is determined based on the potential impact of the derand the function(s) of the habitat area.</li> <li>NOTE 2 <ul> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant habitat important habitat is avoided by locating fence lines, roadways and infrastruct outside important habitat areas or alternatively these works are co-located within a cultility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities between the sensitive areas areas and the sensitive areas areas areas and the sensitive areas areas</li></ul></li></ul>	s) and					
<ul> <li>and the function(s) of the habitat area.</li> <li>NOTE 2</li> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant habitat is avoided by locating fence lines, roadways and infrastruct outside important habitat areas or alternatively these works are co-located within a cutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities to a sensitive areas.</li> </ul>						
<ul> <li>A buffer of at least 50m of remnant or regrowth vegetation is recommended where are endangered regional ecosystem, migratory bird habitat or other highly significant habitat (8)</li> <li>Fragmentation of habitats is avoided by locating fence lines, roadways and infrastruct outside important habitat areas or alternatively these works are co-located within a crutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities being from clearing or construction activities</li></ul>	lopment					
<ul> <li>endangered regional ecosystem, migratory bird habitat or other highly significant hab</li> <li>(8) Fragmentation of habitats is avoided by locating fence lines, roadways and infrastruc outside important habitat areas or alternatively these works are co-located within a cutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities being a construction activities being and and and and and and and and and and</li></ul>						
<ul> <li>outside important habitat areas or alternatively these works are co-located within a cutility corridor.</li> <li>(9) Old and dead trees with hollows are retained unless they present a significant risk to and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities being and and an areas areas and an areas areas and an areas areas areas areas areas areas and an areas are</li></ul>						
<ul> <li>and safety of people and property.</li> <li>(10) Retained vegetation contributes, where possible, to a linked network of remnant and vegetation by connecting— <ul> <li>(a) across property boundaries;</li> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities between the sensitive areas and sensitive areas are provided from damage resulting from clearing or construction activities between the sensitive areas are activities areas are activities between the sensitive areas are activities are activities are activities are activities areas are activities areas are activities areas areas are activities areas areas</li></ul>						
<ul> <li>vegetation by connecting— <ul> <li>across property boundaries;</li> <li>across the local government area;</li> <li>into adjoining local government areas;</li> <li>along riparian corridors or ridgelines; and</li> <li>to larger areas, including protected state lands.</li> </ul> </li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from damage resulting from clearing or construction activities between the sensitive areas are used from the sensitive areas areas areas are used from the sensitiv</li></ul>	he health					
<ul> <li>(b) across the local government area;</li> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities being a sensitive areas.</li> </ul>	egrowth					
<ul> <li>(c) into adjoining local government areas;</li> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities being a sensitive areas.</li> </ul>						
<ul> <li>(d) along riparian corridors or ridgelines; and</li> <li>(e) to larger areas, including protected state lands.</li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities being the sensitive areas.</li> </ul>						
<ul> <li>(e) to larger areas, including protected state lands.</li> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities between the sensitive areas.</li> </ul>						
<ul> <li>(11) Low impact construction techniques are used where possible in sensitive areas.</li> <li>(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities being a sensitive areas.</li> </ul>						
(12) Important vegetation areas, or other sensitive areas (including areas prone to erosion salinity) are protected from damage resulting from clearing or construction activities to						
salinity) are protected from damage resulting from clearing or construction activities to						
(a) being fenced off, from the balance of the development area; and						
(b) ensuring stockpiling, storage and vehicle parking occur outside the protected a	eas.					
(13) Site landscaping complements important habitats by—						
(a) utilising food and habitat vegetation native to the site;						
<ul> <li>(b) replicating adjacent remnant habitats as closely as possible (including underst storey and canopy species) and density of planting;</li> </ul>	rey, mid-					
(c) creating or enhancing linkages between existing habitats;						
<ul> <li>(d) planting the edge of riparian corridors and wetlands to filter stormwater run-off remove sediments, nutrients and pollutants; and</li> </ul>	n order to					
(e) avoiding the use or introduction of invasion species which could displace nativ	flora.					
(14) Particular attention is given to the maintenance of bank stability within riparian areas protecting against bank erosion and slumping.	nd					



Column 1 Specific Outcomes		Column 2 Acceptable / Probable Solutions		
Soil Fertility		Soil Fertility		
(7)	The soil resource is protected against the loss of chemical or physical fertility through erosion, land slippage or increased salinity.	(15)	<ul> <li>Vegetation is retained, and where necessary supplementary planting is undertaken—</li> <li>(a) in areas prone to erosion (including gully erosion) or land slippage;</li> <li>(b) on slopes greater than 15%; or</li> <li>(c) in areas prone to salinity.</li> </ul>	
Scenic Amenity		Scenic Amenity		
(8)	The scenic values and leafy character of important vegetated areas within the City are retained.	(16)	Native vegetation along prominent ridgelines, hillsides and water courses is retained.	
		(17)	Established vegetation which makes a positive contribution to the streetscape is retained where possible.	

Figure 12.4.1: Defining Extent of Riparian Corridor for Protection of Native Vegetation

