



**NOTES:**

1. Supply and install non petroleum based soil-wetting agent or water crystals in accordance with Manufacturer's instructions.
2. Soil wetting agent with fertiliser additive to be mixed through full depth of existing and imported topsoil.
3. Soil test to be carried out to determine if any amelioration works are necessary to improve the soils condition.
4. For Revegetation and/or Waterway Planting refer to:  
  
Ipswich City Council: Waterway Health Strategy (WHS) 2009  
Ipswich City Council: Waterway and Channel Rehabilitation Guidelines 2010  
Ipswich City Council: Riparian Corridor Revegetation Guidelines.
5. A protective tree guard/grow tube positioned around each plant may be required in these planting contexts.
6. Where possible allow 2.5m min clear space around mulch collar for maintenance/mowing.

REVISIONS					
AMENDMENT	INITIALS	DATE	AMENDMENT	INITIALS	DATE
F				L	
E				K	
D				J	
C				I	
B				H	
A				G	

Notes Altered  
ORIGINAL ISSUE

**IPSWICH CITY COUNCIL**  
 45 Roderick St  
 P.O. Box 191  
 Ipswich QLD 4305  
 Australia

Tel (07) 3810 7894  
 Tel (07) 3810 7927  
 Fax (07) 3810 7950

APPROVED  
  
 CHIEF OPERATING OFFICER (WPR)  
 DATE 29-7-13

**STANDARD DRAWING**  
 PLANTING - TUBESTOCK/GROUNDCOVER/SHRUB IN  
 GRASSED AREA

PARKS  
 SP.03  
 REV: B DRAWER: 100